



Various State Agencies

Bill To:
Various State Agencies
Located throughout Idaho

Various, ID 83701

Statewide Blanket Purchase Order
Change Order

Statewide Blanket Purchase Order
SBPO1194 - 06

DELIVER TO:

Various State Agencies
Located throughout Idaho

Various, ID 83701

Date: Sat Oct 04, 2008
F.O.B: Destination
Terms:

VENDOR: RICOH CORPORATION

5 DEDRICK PL

WEST CALDWELL, NJ 07006
Attn: Primary Customer Contact
Vendor Nbr: 23703
Emailed To: biddepartment@ricoh-usa.com
Phone: 973 882-5858
Fax: 973 882-2219
Account Number: P00000024787

Start of Service Date Sun Jul 27, 2008

End of Service Date: Sun Jul 26, 2009

Solicitation#: [RFQ04224](#)
DOC#: PREQ8312

File(s) Attached:

- ☐ RicohBid.pdf
- ☐ Ricoh_Dealers.pdf
- ☐ Updated_Placement_Form_042507.pdf
- ☐ Ricoh_Pricing_May2007.pdf
- ☐ State_of_Idaho_BW_UPDATED.pdf

Buyer: [DIANE ROBINSON](#) 208-332-1631

Item No	Description	Quantity UOM	Unit Price	EXTENSION
000	BLANKET PURCHASE AGREEMENT (line item particulars follow)	1 lot		1300000.00
Total:				1300000.00

Blanket Comments:	CONTRACT SBPO1194-AMENDMENT		
	This Contract Amendment and the provisions hereof are hereby attached to and made part of that certain State of Idaho contract number SBPO1194, dated July 17, 2008 ("Contract") for Digital Photocopiers, for VARIOUS STATE OF IDAHO AGENCIES, INSTITUTIONS, AND DEPARTMENTS, between RICOH, as "Contractor" and the State of Idaho as "State". Contractor and State hereby agree as follows:		
	All of the terms, conditions, and prices contained in the Contract shall remain in full force and effect, except as expressly modified herein. The effective date of this AMENDMENT is OCTOBER 3, 2008.		
	This SBPO is modified to update some of the current machines, features are equivalent or better per the updated attachment titled "State of Idaho B&W UPDATED".		
	NO OTHER CHANGES NOTED		

Item No	Description	Quantity UOM	Unit Price	EXTENSION
001	Copy Machines, Digital, Purchase or Rental (600-46) (nt)	1 YR	1300000.00	1300000.00
General Comments:NOTICE OF STATEWIDE CONTRACT (SBPO) AWARD			
	Contract for Purchase or Rental of Digital Photocopiers from ITB01925 for various state of Idaho Agencies, institutions, and departments. The Division of Purchasing or the requisitioning agency will issue individual releases (delivery or purchase orders) against this Master			

Contract on an as needed basis.

Contract Title:.....Purchase or Rental of Digital Photocopiers
Delivery Zone/Area:.....Area A, B, and C, Rental Only
Contract Usage Type:.....Mandatory
Public Agency Clause:Yes
Contract Administration:.... Sarah Hilderbrand
---Phone Number:.....208-332-1631
---E-Mail:.....sarah.hilderbrand@adm.idaho.gov

Contractor's Primary Contact Ricoh Corporation
---Attn:.....Bart Lemmon, Government Account Manager
---Address:.....Five Dedrick Place
---City, State, Zip:.....West Caldwell , NJ 07006
Phone Number:.....425-255-0730
Toll Free Number:.....none
Fax Number:.....973-882-2219
E-Mail:.....Bart.Lemmon@ricoh-usa.com

CONTRACTOR: Ship to the FOB DESTINATION point and BILL DIRECTLY to the ORDERING AGENCY. DO NOT MAIL INVOICES TO THE DIVISION OF PURCHASING. Notating the Contract Award Number on any invoices/statement will facilitate the efficient processing of payment.

Minimum Order Quantity:....One (1) Photocopier
Minimum Dollar Amount:....None
Standard Delivery Time:.....Not to exceed thirty (30) days – see bid schedules for specifics

QUANTITIES: The State of Idaho, Division of Purchasing can only give approximations of quantities and will not be held responsible for figures given in this document.

Order Placement Address:
---Company Name:.....Rico Corporation, c/o installing dealer
---Address:.....See Dealer Representative/Service Provider Page for list of
.....authorized Dealers
---City, State, Zip:.....

Payment Address:
---Company Name:.....Rico Corporation
---Address:.....As detailed in each invoice
---City, State, Zip:.....

THIS CONTRACT, (including any files attached), CONSTITUTES THE STATE OF IDAHO'S ACCEPTANCE OF YOUR SIGNED BID, QUOTATION, OR OFFER (including any electronic bid submission), WHICH SUBMISSION IS INCORPORATED HEREIN BY REFERENCE AS THOUGH SET FORTH IN FULL.

In the event of any inconsistency, unless otherwise provided herein, such inconsistency shall be resolved by giving precedence in the following order:

1. This Statewide Blanket Purchase Order document.
2. The state of Idaho's original solicitation document.
3. The Contractor's signed bid, quotation, or offer.

Special Order Information:.....All orders are to be made out to the Contractor, c/o Installing Dealer
Contract Items:.....See Bidding Schedules
Contract Pricing:.....See Bidding Schedules

INVOICES MUST BE SENT TO THE IDAHO ORDERING AGENCY.

Instructions:		
Freight / Handling Included in Price		
		By: DIANE ROBINSON



State of Idaho

Rental / Full Maintenance

Attachment (A) to

Ricoh Master Pricing Agreement

SBP01194

Contract No.

Category	Equipment and Options Prices Per Unit	Reorder Number	Rental	Rental	Cost per Copy Ricoh Service Supplies	Combo CPC Ricoh Service & Supplies
			12 Monthly Payments	36 Monthly Payments	Not Included	Per Copy Charge
	DIGITAL					
1A	Ricoh MP 161**	413606	\$23.83	\$22.64	\$0.0050	\$0.0072
	Ricoh MP 161sp**	413613	\$36.72	\$34.88	\$0.0050	\$0.0072
	Cabinet, Type FAC19	411136	2.93	2.78		-
	Network Conections:					
	Printer Scanner Unit Type 161**	413639	14.34	13.62		-
	Additional Copier Options:					
	+ Optional Counter Interface Unit Type A	413012	1.11	1.05		-
	+ PS480 Paper (500x1) Bank**	410905	6.23	5.92		-
	Printer Options:					
	PostScript3 Unit Type 161	413646	8.81	8.37		-
	+ IEEE 1284 Interface Type A	411699	1.79	1.70		-
	IEEE802.11b Interface Unit Type H**	403018	9.51	9.03		-
	Bluetooth Interface Type 3245	412866	8.40	7.98		-
	Fax Option:					
	Handset Type 1018**	410781	1.17	1.11		-
1B	Ricoh MP 1600**	413566	\$31.24	\$29.68	\$0.0050	\$0.0072
	+ ADF DF2000**	412741	8.76	8.32		-
	Large Cabinet (FAC16)	411065	2.85	2.71		-
			\$42.85	\$40.71		
	Network Connections:					
	Print/Scan Kit Type 2000	002903MIU	15.96	15.16		-
	Additional Copier Options:					
	Platen Cover Type 1018	412524	1.73	1.64		-
	+ PS460 (500 x 1) Paper Bank	412560	7.25	6.89		-
	+ Medium Cabinet (FAC15)	411064	3.42	3.25		-
			\$10.67	\$10.14		
	PS450 (500 x 2) Paper Bank	412557	18.61	17.68		-
	Small Cabinet (FAC17)	411066	3.34	3.17		-
			\$21.95	\$20.85		
	Optional Counter Interface Unit Type A	413012	1.11	1.05		-
	+ Accessibility Handle Type A**	412933	2.00	1.90		-
	Accessibility Handle Type B**	412934	2.00	1.90		-
	Fax Options:					
	Fax Kit Type 2000**	413573	11.79	11.20		-
	Handset Type 1018**	410781	1.17	1.11		-
	PT340 1 Bin Tray**	412657	4.54	4.31		-
	Print/Scan Option Accessories					
	All in One Kit Type 2000	002904MIU	18.87	17.93		-
	+ PostScript3 Unit Type 2000	413288	8.81	8.37		-



State of Idaho

Rental / Full Maintenance

Attachment (A) to

Ricoh Master Pricing Agreement

SBP01194

Contract No.

Category	Equipment and Options Prices Per Unit	Reorder Number	Rental	Rental	Cost per Copy	Combo CPC
			12 Monthly Payments	36 Monthly Payments	Ricoh Service Supplies Not Included	Ricoh Service & Supplies Per Copy Charge
	+ IEEE 1284 Interface Type A	411699	1.79	1.70		-
	IEEE802.11b Interface Unit Type H**	403018	9.51	9.03		-
	+ Bluetooth Interface Type 3245	412866	8.40	7.98		-
2	Ricoh MP 2550B	414395	\$62.86	\$59.72	\$0.0050	\$0.0072
	ARDF DF 3030**	414143	16.36	15.54		-
	FAC 38 Cabinet	414520	<u>3.19</u>	<u>3.03</u>		-
			\$82.41	\$78.29		
	Network Connections:					
	Printer/Scanner Unit Type 3350	003295MIU	28.34	26.92		-
	Additional Copier Options:					
	Platen Cover Type 3800C	412551	1.73	1.64		-
	+ 1 Bin Tray BN 3030	414127	5.67	5.39		-
	500 Sheet Finisher SR 3050**	414130	18.20	17.29		-
	+ Bridge Unit BU 3020**	414125	<u>3.89</u>	<u>3.70</u>		-
			\$22.09	\$20.99		
	+ SR790 1,000 Sheet Finisher**	412730	18.13	17.22		-
	+ Bridge Unit BU 3020**	414125	<u>3.89</u>	<u>3.70</u>		-
			\$22.02	\$20.92		
	Booklet Finisher SR3000**	412851	55.40	52.63		-
	+ Bridge Unit BU 3020**	414125	<u>3.89</u>	<u>3.70</u>		-
			\$59.29	\$56.33		
	Punch Unit Kit PU3000 3/2 Hole	412855	13.46	12.79		-
	Internal Shift Tray SH3010	414140	5.78	5.49		-
	PS500 Large Capacity Tray	410958	25.52	24.24		-
	Paper Feed Unit Type PB 3030 (2 x 500 Sheets)	413673	24.57	23.34		-
	Key Counter Bracket Type H	412552	1.53	1.45		-
	Hard Disk Drive Option Type 5000 (40GB)**	413889	6.43	6.11		-
	Fax Options:					
	Fax Option Type 3350	414403	20.82	19.78		-
	G3 Interface Unit Type 3350	414084	12.36	11.74		-
	32MB Memory 400dpi/SAF	001342MIU	3.52	3.34		-
	Handset Type 1018**	410781	1.17	1.11		-
	Printer/Scanner Options:					
	PostScript3 Unit Type 3350	414120	10.22	9.71		-
	RPCS Printer Unit Type 3350	003294MIU	6.73	6.39		-
	Printer Enhance Option Type 3350	414114	11.05	10.50		-
	Scanner Enhance Option Type 3350	414117	6.40	6.08		-
	IEEE802.11a/g Wireless Type J	414008	10.93	10.38		-
	IEEE 1284 Interface Type A	411699	1.79	1.70		-
	Bluetooth Interface Type 3245	412866	8.40	7.98		-
	Gigabit Ethernet Board Type A	402547	8.43	8.01		-
	Java VM Card Type F	414004	2.83	2.69		-



State of Idaho

Rental / Full Maintenance

Attachment (A) to

Ricoh Master Pricing Agreement

SBP01194

Contract No.

Category	Equipment and Options Prices Per Unit	Reorder Number	Rental	Rental	Cost per Copy	Combo CPC
			12 Monthly Payments	36 Monthly Payments	Ricoh Service Supplies Not Included	Ricoh Service & Supplies Per Copy Charge
	File Format Converter Type E	414007	11.32	10.75		-
	Special Options					
	Copy Data Security Unit Type F	413985	13.85	13.16		-
	Data Overwrite Security Unit Type I	413955	8.11	7.70		-
	HDD Encryption Unit Type A	414021	6.76	6.42		-
3	Ricoh MP 4000B**	414374	\$141.84	\$134.75	\$0.0046	\$0.0065
	+ Paper Feed Unit PB3040 (2x500)	414132	20.69	19.66		-
	SR790 1,000 Sheet Finisher**	412730	18.13	17.22		-
	Bridge Unit BU3030	414175	<u>2.08</u>	<u>1.98</u>		-
			\$182.74	\$173.61		
	Printer/Scanner Unit Type 5000 (Token Ring)	003263MIU	29.03	27.58		-
	Printer/Scanner Unit Type 5000 PostScript3 Unit Type 5000 (Apple Talk)	003263MIU 413954	29.03 16.18	27.58 15.37		- -
	` LCIT RT3000 (1,200 Sheets)	414137	13.75	13.06		-
	Ricoh MP 5000B**	414375	\$141.84	\$134.75	\$0.0046	\$0.0065
	+ Paper Feed Unit PB3040 (2x500)	414132	20.69	19.66		-
	SR790 1,000 Sheet Finisher**	412730	18.13	17.22		-
	Bridge Unit BU3030	414175	<u>2.08</u>	<u>1.98</u>		-
			\$182.74	\$173.61		
	Printer/Scanner Unit Type 5000 (Token Ring)	003263MIU	29.03	27.58		-
	Printer/Scanner Unit Type 5000 PostScript3 Unit Type 5000 (Apple Talk)	003263MIU 413954	29.03 16.18	27.58 15.37		- -
	` LCIT RT3000 (1,200 Sheets)	414137	13.75	13.06		-
	Additional Copier Options categories 3 & 4:					
	SR3020 2000-Sheet Booklet Finisher**	413323	72.14	68.53		-
	Bridge Unit BU3030	414175	4.64	4.41		-
	+ SR3030 3000-Sheet Finisher**	413325	50.27	47.76		-
	Bridge Unit BU3030	414175	4.64	4.41		-
	+ LCIT PB3050 (2,000 Sheets)**	414134	28.44	27.02		-
	Punch Unit Type 3260	412209	18.25	17.34		-
	+ FAC33 Cabinet	413762	3.60	3.42		-



State of Idaho

Rental / Full Maintenance

Attachment (A) to

Ricoh Master Pricing Agreement

SBP01194

Contract No.

Category	Equipment and Options Prices Per Unit	Reorder Number	Rental	Rental	Cost per Copy Ricoh Service Supplies	Combo CPC Ricoh Service & Supplies
			12 Monthly Payments	36 Monthly Payments	Not Included	Per Copy Charge
	Special Options:					
	+ 1 Bin Tray BN3040**	414177	7.60	7.22		-
	Key Counter Bracket Type H	412552	1.53	1.45		-
	File Format Converter Type E	414007	11.32	10.75		-
	Data Overwrite Security Unit Type I	413955	8.11	7.70		-
	Copy Data Security Unit Type F	413985	13.85	13.16		-
	Hard Disk Drive Option Type 5000 (40GB)**	413889	6.43	6.11		-
	HDD Encryption Unit Type A	414021	6.76	6.42		-
	Optional Counter Interface Unit Type A	413012	1.11	1.05		-
	Scanner Accessibilty Option Type 4045	413054	29.43	27.96		-
	Fax Options:					
	Fax Option Type 5000	414382	20.82	19.78		-
	G3 Interface Unit Type 5000	413891	13.17	12.51		-
	32MB Memory 400dpi/SAF	001342MIU	3.52	3.34		-
	Handset Type 1018**	410781	1.17	1.11		-
	Printer/Scanner Options:					
	PostScript3 Unit Type 5000	413954	17.73	16.84		-
	RPCS Printer Unit Type 5000	003262MIU	7.72	7.33		-
	Printer Enhance Option Type 5000	413948	11.05	10.50		-
	Scanner Enhance Option Type 5000	413951	6.40	6.08		-
	IEEE802.11a/g Wireless Type J	414008	10.93	10.38		-
	Bluetooth Interface Type 3245	412866	8.40	7.98		-
	Gigabit Ethernet Board Type A	402547	8.43	8.01		-
	Java VM Card Type F	414004	2.83	2.69		-
	IEEE 1284 Interface Type A	411699	1.79	1.70		-
5	Ricoh MP 6000	414338	\$182.87	\$173.72	\$0.0043	\$0.0062
	SR970 Staple Finisher**	413321	<u>41.04</u>	<u>38.99</u>		-
			\$223.91	\$212.71		
	Print/Scan Unit Type 7500 (Token Ring)	002834MIU	33.67	31.99		-
	Print/Scan Unit Type 7500	002834MIU	33.67	31.99		-
	PostScript 3 Unit Type 7500 (Apple Talk)	412916	29.67	28.19		-
6	Ricoh MP 7000	414341	\$246.95	\$234.60	\$0.0041	\$0.0059
	SR970 Staple Finisher**	413321	<u>41.04</u>	<u>38.99</u>		-
			\$287.99	\$273.59		
	Print/Scan Unit Type 7500 (Token Ring)	002834MIU	33.67	31.99		-
	Print/Scan Unit Type 7500	002834MIU	33.67	31.99		-
	PostScript 3 Unit Type 7500 (Apple Talk)	412916	29.67	28.19		-



State of Idaho

Rental / Full Maintenance

Attachment (A) to

Ricoh Master Pricing Agreement

SBP01194

Contract No.

Category	Equipment and Options Prices Per Unit	Reorder Number	Rental	Rental	Cost per Copy	Combo CPC
			12 Monthly Payments	36 Monthly Payments	Ricoh Service Supplies Not Included	Ricoh Service & Supplies Per Copy Charge
	Additional Copier Options categories 5 & 6:					
	RT43 LCT	414517	35.99	34.19		-
	SR4000 Booklet Finisher**	413319	80.54	76.51		-
	Finisher SR842	413310	88.11	83.70		-
	Punch Unit Type 3260	412209	18.25	17.34		-
	2/3-Hole Punch Kit Type 1075	411198	16.39	15.57		-
	Cover Interposer Tray Type 3260	412213	19.78	18.79		-
	Copy Tray Type 2075	412190	2.63	2.50		-
	8 1/2"x14" Tray Type 1075	411187	14.81	14.07		-
	Type 1027 Key Counter Bracket	412537	1.96	1.86		-
	Tab sheet Holder Type 3260	412203	0.82	0.78		-
	A3/11"x17" Tray Unit Type 1075	411185	26.52	25.19		-
	Card Rdr Bracket Type 1075	411203	2.20	2.09		-
	Output Jogger Unit Type 3260	412212	7.29	6.93		-
	Jogger Unit Type 1075	411206	6.53	6.20		-
	File Format Converter Type C	412823	12.15	11.54		-
	+ Copy Connector Kit Type MP 7500	412809	26.14	24.83		-
	ZF4000 Z-Folding Unit	412805	145.67	138.39		-
	+ USB Host Type A	412867	3.04	2.89		-
	Data Overwrite Security Option Type C	411989	8.11	7.70		-
	Java VM Card Type C	413210	2.44	2.32		-
	BK5010 Production Booklet Maker	413101	256.44	243.62		-
	CF5010 Cover Feeder	413102	59.57	56.59		-
	TR5010 Trimmer Unit	413103	181.08	172.03		-
	BF5010 Book Fold Unit	413104	176.33	167.51		-
	BK5010 Rail Unit	413105	7.15	6.79		-
	MP 7500 Removable Hard Drive	002849MIU	29.04	27.59		-
	MP 7500 Additional Removable Hard Drive	002850MIU	16.51	15.68		-
	Fax Options:					
	Fax Option Type 7500	413491	20.91	19.86		-
	G3 Interface Unit Type 7500	413494	12.39	11.77		-
	32MB Memory 400dpi/SAF	001342MIU	3.52	3.34		-
	Printer/Scanner Options					
	Printer/Scanner Unit Type 8000	003455MIU	33.67	31.99		-
	PostScript 3 Unit Type 7500	412916	29.67	28.19		-
	Copy Data Security Unit Type C	412808	13.71	13.02		-
	Browser Unit Type B	413083	2.74	2.60		-
	9 Bin Mail Box CS391	412191	36.58	34.75		-
	IEEE 1284 Interface Type A	411699	1.79	1.70		-
	IEEE1394 Interface Board Type B	412995	8.86	8.42		-
	IEEE 802.11b Interface Unit Type N	414525	9.51	9.03		-
	Bluetooth Interface Type 3245	412866	8.40	7.98		-
	Gigabite Ethernet	402302	9.23	8.77		-

+ Ricoh recommended configuration for noted applications

Equipment Configuration Footnotes

B/W - COPIER / MULTIFUNCTIONAL



State of Idaho

Rental / Full Maintenance

Attachment (A) to

Ricoh Master Pricing Agreement

SBP01194

Contract No.

Category	Equipment and Options Prices Per Unit	Reorder Number	Rental	Rental	Cost per Copy Ricoh Service Supplies	Combo CPC Ricoh Service & Supplies
			12 Monthly Payments	36 Monthly Payments	Not Included	Per Copy Charge

Aficio MP 161/MP 161F/MP 161SPF Notes:

- (1) MP161 Mainframe includes Legal Size Platen Glass, 250 Sheet Paper Tray, 100 Sheet Bypass Tray, 16 MB Memory and ARDF. The MP 161 cannot be upgraded to include faxing.
- (2) MP 161 SPF Mainframe includes Legal Size Platen Glass, 250 Sheet Paper Tray, 100 Sheet Bypass Tray, 384 MB Memory, ARDF and Print/Scan/Fax capabilities.
- (3) Printer/Scanner Unit is available only for the Aficio MP 161 and includes PCL5e/6, RPCS Drivers, ScanRouter Lite, DesktopBinder Lite Software and TWAIN Driver.
- (4) For 1284Interface, 802.11 linterface and Bluetooth interface, In addition to standard USB 2.0 and 10Base-T/100Base-TX Ethernet interfaces only 1 option may be installed in the controller board. Available for the MP 161SPF or MP 161 with print/scan kit or all-in-one kit only.
- (5) IEEE1284 is a micro centronics 36 pin cable. Converter adapter is required to connect to a Centronics connector. The adapter is available through Service Parts (p/n B6795100).
- (6) Postscript3 unit is required for Macintosh Enviornments, PostScript Printing or PDF Direct Print. Available for the MP 161SPF or MP 161 with print/scan kit or all-in-one kit only.
- (7) MP161SPF Standard Internet Fax (T.37), LAN Fax, IP-Fax (T.38) and Fax Forwarding to Email/Folder functions.
- (8) Handset Type 1018 available only for the MP 161F and MP161SPF
The toner (885531) is compatible with the Aficio MP 161, MP 161F and MP 161SPF mainframes. However, it is not included with the mainframe purchase. Please order separately.

MP 1600 Notes:

- (1) MP1600 mainframe includes 1 x 250 Sheet Drawer, 16MB RAM & 100 Sheet Bypass.
- (2) All MP1600 mainframes requires ADF DF2000 or Platen Cover Type 1018.
- (3) FAC15 Cabinet recommended with PS460 Paper Bank.
- (4) FAC17 Cabinet recommended with PS450 Paper Bank.
- (5) Accessibility Handle Type A is for use on Mainframes. Only one can be ordered for the MP 1600 systems and a maximum of two for the MP 2000 systems.
- (7) Accessibility Handle Type B is for use on Paper Banks. Only one can be ordered for the PS460 & a maximum of two for the PS450.
- (8) Fax Kit includes Feature Expansion Board Type 2000 with NIC, USB 2.0 and Fax Option. Only available for the MP 1600 and MP 2000.
- (9) PT340 1 Bin Tray has 100 Sheet Capacity, Compatible with the MP 2000 and MP 2000L. Standard on the MP 2000SPF.
- (10) Print Scan Kit includes Feature Expansion Board Type 2000 with NIC, USB2.0, 128MB Resident & 256MB DIMM, Print/Scan Option, PCL6, 5e, RPCS Drivers, ScanRouter Lite and DeskTopBinder Lite Software. Only available for the MP 1600 and MP 2000.
- (11) All in One Kit includes Feature Expansion Board Type 2000 with NIC, USB2.0, 128MB Resident & 256MB DIMM, Fax and Print/Scan Options, PCL6, 5e, RPCS Drivers, ScanRouter and DeskTopBinder Lite Software. Only available for the MP 1600 and MP 2000.
- (12) Postscript 3 Unit required for Macintosh Environments, PostScript Printing and PDF Direct Print. Only available for the MP 1600 SPF, MP 2000SPF, Print/Scan Kit or All in One Kit.
- (13) IEEE1284 is a micro centronics 36 pin cable. Converter adapter is required to connect to a Centronics connector. The adapter is available through Service Parts (pn B6795100)
- (14) For Interface Board, interface Unit and Bluetooth Interace unit, in addition to standard USB2.0 and 10Base-T/100Base-TX Ethernet interfaces, only one option may be installed in the controller board.
- (15) For ADF, ARDF and Platen Cover you can only install one at a time.
- (16) PS450 or PS460 cannot be selected at the same time.
- (17) Handset is only available for the MP 1600SPF, MP 2000SPF, Fax Kit or All in One Kit.
- (18) Interface Board, Interface Unit and Bluetooth Interace unit are not available for the MP 1600L or MP 2000L.

Aficio MP 2550/MP 3350 Notes:

- (1) B Version Mainframes include 2 x 500 Sheet Paper Trays, 256MB RAM, Duplex & 100 Sheet Bypass Tray. Hard Disk Drive is optional. and Color Dropout.
- (2) All Mainframes require either Platen Cover Type 3800C (412551) or ARDF DF3030 (414143)
- (3) All Mainframes require either FAC38 Cabinet (414520) or Paper Feed Unit PB 3030 (413673) or LCT PS500 (410958)
- (4) IEEE 1284 (411699), Bluetooth (412866), IEEE802.11 a/b/g (414008), Gigabit Ethernet (402547), File Format Converter (414007): one out of five can be installed.
- (5) HDD is included with Printer/Scanner Unit (003295MIU), Printer Enhance Option Type 3350 (414114) and pre-configured SP/SPF models.
- (6) NIC and Wireless LAN I/F cannot be used at the same time.
- 7) Scanner Enhance Option Type 3350 (414117) requires Printer Enhance Option Type 3350 (414114) AND RPCS Printer Unit (003294MIU). NO UPGRADE AVAILABLE TO



State of Idaho

Rental / Full Maintenance

Attachment (A) to

Ricoh Master Pricing Agreement

SBP01194

Contract No.

Category	Equipment and Options Prices Per Unit	Reorder Number	Rental	Rental	Cost per Copy Ricoh Service Supplies	Combo CPC Ricoh Service & Supplies
			12 Monthly Payments	36 Monthly Payments	Not Included	Per Copy Charge

- (8) (414127) 125 Sheet capacity, separates Fax/Print output from Copying
- (9) 1000 Sheet Booklet Finisher (412851), 1000 Sheet Finisher (412730), 500 Sheet Finisher (414130) requires Bridge Unit BU3020 (414125).
- (10.) Requires 40 GB Hard Disk Drive Type 3350 (413889).
- (11) Paper Bank 3030 (413673) and LCT PS500 (410958) and FAC38 Cabinet (414520) can't be installed on the same device.
- (12) 500 Sheet finisher (414130), 1000 Sheet finisher SR790 (412730), 1000 Sheet Booklet Finisher SR3000 (412851), Internal Shift Tray SH3010 (414140) can't be installed
- (13) 001342MIU or 414084 Require Fax Option Type 3350 (414403)
- (14) 414084 Provides an additional fax modem. A maximum of three lines can be installed on the MFP.
- (15) Punch Kit Type PU3000 NA 3/2 (412855) requires the installation of Finisher SR3000 (412851).
- (16) 413985 Prevents unauthorized copying of Confidential Documents
- (17) 413955 Overwrites Copy, Print, Scanner, Document Server, File Format Converter and Paperless Fax
- (18) 414021 Encrypts HDD and Non-Volatile RAM data immediately upon storage, which eliminates data disclosure in the event HDD is stolen.
- (19) 413889,003294MIU,414114,414117 and 003295MIU are all Options for MP 2550B & MP 3350B models only.
- (20) 414120 Required for Macintosh and PostScript environments.
- (21) The Hard Disk Drive Type 5000 (413889) is required to enable the following features: Document Server, User Stamps, Job Presets, Preset Stamps (Additional Languages), Background Numbering, Increases Collation to 1,000, Increases Dial Keys to 2,000 & Series Copy.
- (22) 414403 - 33.6Kbps, 2 Second Transmission Speed, Standard JBIG Compression, Standard 320 Pages.
- (23) 003294MIU Adds Refined Print Command Stream printing to the MP 2550B & MP 3350B models. Kit includes additional 256MB RAM. Hard Disk Drive is required for Loc
- (24) 414114 Adds PCL Printing capabilities. Must install RPCS Printer Unit Type 3350 (003294MIU), prior to adding this option.
- (25) 414117 Adds B/W Scanning capabilities. Must install both Printer Enhance Type 3350 (414114) & RPCS Printer Unit Type 3350 (003294MIU) prior to adding this option.
- (26) 414007 is required to convert format and drag to desktop document stored via Copy or Print mode.
- (27) 001342MIU Memory Unit Type B 32MB increases page memory size to 16MB, SAF memory size increases to 28MB (or 2,240 pages), and resolution increases to 400 x 4

Ricoh Aficio MP 4000/MP 5000 Notes:

- (1) B version mainframes include 2 x 550 Sheet Paper Trays, 256MB RAM, 100-Sheet Bypass Tray, 100-Sheet ARDF, Duplex & Interchange. 40 GB HDD is an option.
- (2) All mainframes must install either FAC33 Cabinet (413762) or PB3040 (414132) or PB3050 (414134)
- (3) The Bridge Unit BU3030 (414175) is required with the SR3020 Booklet Finisher (413323), SR790 (412730) and SR3030 Finishers (413325).
- (4) 414177 125 Sheet Capacity. Provides additional output tray to separate fax/print output from copy.
- (5) 414021 Encrypts HDD and Non-Volatile RAM data immediately upon storage, which eliminates data disclosure in the event HDD is stolen.
- (6) Punch Kit Type 3260 NA 2/3 (412209) requires the installation of either Finisher SR3030 (413325) or Booklet Finisher SR3020 (413323).
- (7) 413891 Provides an additional fax modem. Two additional G3 lines can be added. Maximum of 3 lines available.
- (8) 414382 - 33.6Kbps, 2 Second Transmission Speed, Standard JBIG. Standard 320 Pages. Requires Scanner/Printer Kit Type 5000 to enable LAN-Faxing, Fax Forward to E
- (9) 001342MIU Memory Unit Type B 32MB increases page memory size to 16MB, SAF memory size increases to 28MB (or 2,240 pages), and resolution increases to 400 x 40
- (10) 003262MIU Adds Refined Print Command Printing to the MP 4000B & MP 5000B models. Kit includes additional 256MB RAM. Hard Disk Drive is required for Locked/Hc
- (11) 003263MIU Adds Printing & B/W Scanning Capabilities to the MP 4000B/MP 5000B models. 40 GB HDD is standard. NOTE: NO UPGRADE PATH TO COLOR SCANN
- (12) 413948 Adds PCL Printing. Includes standard 40GB Hard Disk Drive. Must install RPCS Printer Unit Type 5000 (003262MIU) prior to adding this option.
- (13) 413951 Adds B/W Scanning Capabilities. Must install RPCS Printer Unit (003262MIU) AND Printer Enhance Option (413948), prior to adding this option. **NOTE: NO U**
- (14) 413954 Required for Macintosh and Postscript environments.
- (15) 413955 Overwrites Copy, Print, Scanner, Document Server, File Format Converter and Paperless Fax.
- (16) One out of five options may be installed: IEEE1284 (411699), Bluetooth (412866), IEEE802.11a/b/g (414008), Gigabit Ethernet (402547) or File Format Converter (41400
- (17) 414007 Required to convert format and drag to desktop document stored via Copy or Print mode.
- (18) 413985 Prevents unauthorized copying of confidential documents.
- (19) Hard Disk Drive Type 5000 (413889) is required for this feature.
- (20) The Hard Disk Drive Type 5000 (413889) is required to enable the following features: Document Server, Background Numbering, User Stamps, Job Presets, Preset Stamps (Additional Languages), Increases Collation to 1,000, Increases Dial Keys to 2,000 & Series Copy.
- (21) 413891, 410781, 001342MIU Require Fax Option Type 5000 (414382)
- (22) The following items cannot be installed together on the same device: RPCS Printer Unit Type 5000 (003262MIU) and Printer Scanner Type 5000 (003263MIU).
- (23) 003262MIU, 413948, 413951, 003263MIU are Options for MP 4000B/MP 5000B Only.
- (24) LCIT RT3000 (414137) requires installation of LCIT PB3050 (414134) or Paper Feed Unit PB3040 (414132). This option cannot be installed with FAC33 Cabinet (413762
- (25) SR790 Finisher (412730), SR3030 Finisher (413325) and SR3020 Booklet Finisher (413323) cannot be installed on the same device.

MP6000/7000

- (1) All mainframes require a finisher or the copy tray.



State of Idaho

Rental / Full Maintenance

Attachment (A) to

Ricoh Master Pricing Agreement

SBP01194

Contract No.

Category	Equipment and Options Prices Per Unit	Reorder Number	Rental	Rental	Cost per Copy Ricoh Service Supplies	Combo CPC Ricoh Service & Supplies
			12 Monthly Payments	36 Monthly Payments	Not Included	Per Copy Charge

- (2) Plain mainframes Include 100-sheet single pass duplex document feeder, 256MB RAM, and 80GB HDD.
- (3) SP Models Include 100-sheet single pass duplex document feeder, 512MB RAM, 80GB HDD, and Scanner/ Printer Unit (includes NIC (10/100BaseT Ethernet) and USB 2.0 interfaces standard).
- (4) SP Models include DeskTopBinder Lite (version 5.0), SmartDeviceMonitor for Admin & Client, TWAIN drivers, RPCS, PCL5e, PCL6 (XL) drivers.
- (5) 4,000 Sheet capacity LCT (8 1/2" x 11").
- (6) SR970 Finisher 3,000-sheet finisher with 50-sheet staple capacity.
- (7) SR4000 Finisher 2,000-sheet finisher with 50-sheet staple capacity and 15-sheet saddle-stitch capacity.
- (8) SR842 Finisher 3,000-sheet finisher with 100-sheet staple capacity.
- (9) 2/3 Hole 3260 Compatible with SR970 and SR4000 Finishers. 2 & 3 hole punch (user-selectable).
- (10) Cannot hole punch and Z-fold at the same time.
- (11) 2/3 Hole 1075 Compatible with SR842 Finisher only. 2 & 3 hole punch (user-selectable).
- (12) Cover Interposer Compatible with all finishers.
- (13) Main unit cannot be configured with both the Interposer and the Mailbox.
- (14) 8 1/2 x 14 tray Converts RT43 (LCT) to 8 1/2" x 14" or 8 1/2" x 11" SEF (2,500 Sheets). Requires RT43.
- (15) tab sheet holder is required for tab copy/print. Compatible with all finishers. Tab Sheet Holder can be used in second or third tray (but not in both).
- (16) 11"x17" Unit converts the standard tandem tray (Tray 1) to hold 11" x 17", 8 1/2" x 14" or 8 1/2" x 11" paper 1,000-sheet capacity).
- (17) Jogger 3260 Compatible with the SR970 and SR4000 Finishers. Neatly arranges output.
- (18) Jogger 1075 Compatible with the SR842 only. Neatly arranges output.
- (19) File Format Converter required for retrieving files from Document Server that were stored via Copy or Print Function.
- (20) Z Folding Unit Each Z-folded sheet counts as 10 sheets.
- (21) Z Folding Unit Compatible with SR4000 and SR842 Finishers. Not compatible with SR970 Finisher.
- (22) USB Host Type A Provides USB interface for third-party devices such as IC card readers.
- (23) Data Overwrite Security Option Hard disk drive overwrite security option.
- (24) BK 5010 & GBC Streamline Punch III Requires SR842 Finisher. Jogger Unit is recommended.
- (25) Cover Feeder, Trimmer, Book Fold Unit & Rail Unit Requires the BK5010 Booklet Maker.
- (26) Book Fold Unit Requires the Trimmer.
- (27) GBC StreamPunch requires the purchase of at least one die set.
- (28) Print/Scan Unit Includes 256MB RAM upgrade.
- (29) Postscript Unit is Required for Post Script and Macintosh printing.
- (30) Documents which are printed with the "Data Security for Copying" Unauthorized Copy Control RPCS setting and copied on a device with this option installed will be grayed out.
- (31) Browser Unit is an Option for Scan Router EX Professional/Enterprise. Provided as an SE card.
- (32) Mail Box isCompatible with SR970 and SR4000 Finishers only. Not compatible with SR842 Finisher.
- (33) Of the following interface options, only one may be installed: IEEE 1284, IEEE 1394 (Firewall), IEEE 802.11b (Wireless LAN, or Bluetooth).
- (34) Of the following two interfaces, only one may be installed: 10/100BaseT Ethernet or Gigabit Ethernet.
- (35) G3 Interface Adds one additional fax line. Up to two lines may be added for a maximum of three lines.
- (36) 32MB Memory Increases SAF memory to 28MB (2,240 pages) and enables 400dpi resolution.